

Essence

Porcelain tiles



ESSENCE | ESSENCE TAUPE_19,5/R ERTA SILVER_100/R ERTA SILVER DECOR_100/R



ESSENCE | ESSENCE TAUPE_19,5/R

Essence

Porcelain tiles



36 patterns

24 * 151 * 1,2 cm | 9 7/16 * 59 7/16 * 1/2"

RECTIFIED	NATURAL PIECE CODE BN93
MAPLE	-
ALMOND	22329
TAUPE	22330
NUT	-



60 patterns

19,5 * 121,5 * 1,05 cm | 7 11/16 * 45 13/16 * 7/16"

RECTIFIED	NATURAL PIECE CODE BN60	ANTISLIP PIECE CODE BN95
MAPLE	21799	-
ALMOND	21798	22328
TAUPE	21801	22325
NUT	21800	-




60 patterns

15 * 90 * 1,05 cm | 5 15/16 * 35 7/16 * 7/16"

RECTIFIED	NATURAL PIECE CODE BN1
MAPLE	21886
ALMOND	21885
TAUPE	21888
NUT	21887

Una pieza, un escalón.
One piece, one step.

NUEVO FORMATO | NEW FORMAT
30 * 121,5 cm | 11 13/16 * 47 13/16"



PIEZA COMPLEMENTARIA COMPLEMENTARY PIECE			
Rodapie - Skirting 7,5*45 cm 2 15/16 * 17 3/4" P29	Peldaño técnico - Technical stair - thread 30*121,5 cm 11 13/16 * 47 13/16" P75 A= 1,05 cm B= 3,15 cm A= 7/16" B= 1 1/4"	Peldaño romo - Rounded stair - thread 30*121,5 cm 7 11/16 * 47 13/16" P61	*S.K.I. *S.K.D. *Z.R.I. *Z.R.D. 7,5*30 cm 3 1/8 * 11 13/16" P51

CARACTERÍSTICAS TÉCNICAS ANTIDESLIZAMIENTO ANTI-SLIP CHARACTERISTICS			
Ensayo Essay	Características Features	Resultado Result	
		NATURAL	ANTISLIP
DIN 51130	Ángulo crítico (Pies calzados) Critical angle (footwear)	R9	R11
DIN 51097	Ángulo crítico (Pies descalzos) Critical angle (Wet loaded barefoot)	-	A+B
BS-7976-2	Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test)	+30-36 Wet	+36 Wet
UNE-ENV-12633	Antideslizamiento (Test del péndulo) Slip resistance (Pendulum test)	Class 1	Class 3
AINSI A137.1	Coefficiente de Fricción Dinámico Dynamic Coefficient of Friction	> 0,42	> 0,42
ISO 10545-7	Resistencia a la Abrasión Superficial/Resistance to Surface Abrasion	PEI 4	

APLICACIONES APPLICATIONS				
Área Area	Revestimiento Wall		Pavimento Floor	
	NAT	ANTISLIP	NAT	ANTISLIP
Interior Internal	✓	✓	✓	✓
Exterior External	✓	✓	✓	✓
Comercial Commercial	✓	✓	-	✓
Ducha Shower	✓	✓	-	-

CARACTERÍSTICAS TÉCNICAS TECHNICAL CHARACTERISTICS			
joint 	frost proof 	versatile 	matt
diferent shades 	shade variation 	various graphics 	various moulds

EMBALAJE PACKING									
Formato Sizes	Cajas Boxes			Pallet			Cont./20' 21500 kg.	Cont./20' 24000 kg.	
	Piezas	m ² / sq.m	kg	Cajas	m ² / sq.m	kg			Tamaño cm aprox.
19,5 * 121,5 * 1,05	3	0,71	17,30	50	35,54	890,00	128 * 95 * 55	858,52	958,35
15 * 90 * 1,05	7	0,95	23,00	48	45,36	1119,00	100 * 100 * 75	871,53	972,87
7 11/16 * 47 13/16 * 7/16	3	7,65	38,06	50	382,54	1958,00	50 3/8 * 37 3/8 * 21 5/8	9241,03	10315,57
5 15/16 * 35 7/16 * 7/16	7	10,17	50,60	48	488,25	2461,80	39 3/8 * 39 3/8 * 29 1/2	9381,04	10471,86